

Approximated infinite dimensional operators and their (asymptotic) Spectral Analysis: what the GLT analysis can say

Stefano Serra-Capizzano^{1,2}

¹Department of Science and High Technology, Insubria University - Como, Italy; s.serracapizzano@uninsubria.it

²Department of Information Technology - Uppsala University - Uppsala; serra@it.uu.se

Keywords: Approximated PDEs, FDEs, IDEs, eigenvalues, singular values, Weyl distributions, Krylov methods, multigrid, multi-iterative solvers

Abstract

Recently, the class of Generalized Locally Toeplitz (GLT) sequences has been introduced [37, 38] as a generalization both of classical Toeplitz sequences and of variable coefficient differential operators and, for every sequence of the class, it has been demonstrated that it is possible to give a rigorous description of the asymptotic spectrum [11, 40] in terms of a function (the symbol) that can be easily identified; see also [39].

This generalizes the notion of a symbol for differential operators (discrete and continuous) or for Toeplitz sequences, where for the latter it is identified through the Fourier coefficients and is related to the classical Fourier Analysis.

The GLT class has nice algebraic properties and indeed it has been proven that it is stable under linear combinations, products, and inversion when the sequence which is inverted shows a sparsely vanishing symbol (sparsely vanishing symbol = a symbol which vanishes at most in a set of zero Lebesgue measure). Furthermore, the GLT class virtually includes any approximation of partial differential equations (PDEs), fractional differential equations (FDEs), integro-differential equations (IDEs) by local methods (Finite Difference, Finite Element, Isogeometric Analysis etc) and, based on this, we demonstrate that our results on GLT sequences can be used in a PDE/FDE/IDE setting in various directions, including preconditioning, multigrid, spectral detection of branches, fast 'matrix-less' computation of eigenvalues, stability issues. We will discuss specifically the impact and the further potential of the theory with special attention to new directions based on a symmetrization trick by Pestana and Wathen.

Prerequisites are in the books [10, 11].

The seminal papers on the considered spectral theory are [40, 39, 37, 37].

The GLT theory is organized in books and revue papers [26, 27, 28, 3, 4, 5].

The other references contain applications and theoretical results, where the GLT machinery has been used.

References

- [1] F. Ahmad, E.S. Al-Aidarous, D. Abdullah Alrehaili, S.-E. Ekström, I. Furci, S. Serra-Capizzano. Are the eigenvalues of preconditioned banded symmetric Toeplitz matrices known in almost closed form? *Numer. Alg.* **78-3** (2018), 867–893.
- [2] A.S. Al-Fhaid, S. Serra-Capizzano, D. Sesana, M.Z. Ullah. Singular-value (and eigenvalue) distribution and Krylov preconditioning of sequences of sampling matrices approximating integral operators. *Numer. Linear Algebra Appl.* **21-6** (2014), 722–743.
- [3] G. Barbarino, C. Garoni, M. Mazza, S. Serra-Capizzano. Rectangular GLT sequences. *Electron. Trans. Numer. Anal.* **55** (2022), 585–617.
- [4] G. Barbarino, C. Garoni, S. Serra-Capizzano. Block generalized locally Toeplitz sequences: theory and applications in the unidimensional case. *Electron. Trans. Numer. Anal.* **53** (2020), 28–112.
- [5] G. Barbarino, C. Garoni, S. Serra-Capizzano. Block generalized locally Toeplitz sequences: theory and applications in the multidimensional case. *Electron. Trans. Numer. Anal. Electron. Trans. Numer. Anal.* **53** (2020), 113–216.
- [6] G. Barbarino, S. Serra-Capizzano. Non-Hermitian perturbations of Hermitian matrix-sequences and applications to the spectral analysis of the numerical approximation of partial differential equations. *Numer. Linear Algebra Appl.* **27-3** (2020), e2286, 31 pp.
- [7] P. Benedusi, C. Garoni, R. Krause, X. Li, S. Serra-Capizzano. Space-time FE-DG discretization of the anisotropic diffusion equation in any dimension: the spectral symbol. *SIAM J. Matrix Anal. Appl.* **39-3** (2018), 1383–1420.
- [8] P. Benedusi, P. Ferrari, C. Garoni, R. Krause, S. Serra-Capizzano. Fast parallel solver for the space-time IgA-DG discretization of the diffusion equation. *J. Sci. Comput.* **89-1** (2021), Paper No. 20, 21 pp.
- [9] J.M. Bogoya, S. Grudsky, S. Serra-Capizzano, C. Tablino-Possio. Fine spectral estimates with applications to the optimally fast solution of large FDE linear systems. *BIT Numer. Math.* **62-4** (2022), 1417–1431.
- [10] A. Böttcher, S. Grudsky. *Spectral properties of banded Toeplitz matrices*. SIAM, Philadelphia (2005).
- [11] A. Böttcher, B. Silbermann. *Introduction to Large Truncated Toeplitz Matrices*. Springer-Verlag, New York (1999).
- [12] M. Donatelli, C. Garoni, C. Manni, S. Serra-Capizzano, H. Speleers. Robust and optimal multi-iterative techniques for IgA Galerkin linear systems. *Comput. Methods Appl. Mech. Engrg.* **284** (2015), 230–264.
- [13] M. Donatelli, C. Garoni, C. Manni, S. Serra-Capizzano, H. Speleers. Robust and optimal multi-iterative techniques for IgA collocation linear systems. *Comput. Methods Appl. Mech. Engrg.* **284** (2015), 1120–1146.
- [14] M. Donatelli, C. Garoni, C. Manni, S. Serra-Capizzano, H. Speleers. Spectral analysis and spectral symbol of matrices in isogeometric collocation methods. *Math. Comp.* **85-300** (2016), 1639–1680

- [15] M. Donatelli, C. Garoni, C. Manni, S. Serra-Capizzano, H. Speleers. Symbol-based construction and analysis of optimal/robust multigrid methods for B-splines Isogeometric Analysis. *SIAM J. Numer. Anal.* **55-1** (2017), 31–62.
- [16] M. Donatelli, M. Mazza, S. Serra-Capizzano. Spectral analysis and preconditioning for variable coefficient fractional derivative operators. *J. Comput. Phys.* **307** (2016), 262–279.
- [17] M. Donatelli, M. Mazza, S. Serra-Capizzano. Spectral analysis and multigrid methods for finite volume approximations of space-fractional diffusion equations. *SIAM J. Sci. Comput.* **40-6** (2018), A4007–A4039.
- [18] A. Dorostkar, M. Neytcheva, S. Serra-Capizzano. Spectral analysis of coupled PDEs and of their Schur complements via the notion of Generalized Locally Toeplitz sequences. *Comput. Methods Appl. Mech. Engrg.* **309** (2016), 74–105.
- [19] M. Dumbser, F. Fambri, I. Furci, M. Mazza, S. Serra-Capizzano, M. Tavelli. Staggered discontinuous Galerkin methods for the incompressible Navier-Stokes equations: spectral analysis and computational results. *Numer. Linear Algebra Appl.* **25-5** (2018), e2151, 31 pp.
- [20] S.-E. Ekström, I. Furci, C. Garoni, C. Manni, S. Serra-Capizzano, H. Speleers. Are the eigenvalues of the B-spline isogeometric analysis approximation of $-\Delta u = \lambda u$ known in almost closed form? *Numer. Linear Algebra Appl.* **25-5** (2018), e2198, 34 pp.
- [21] S.-E. Ekström, C. Garoni, S. Serra-Capizzano. Are the eigenvalues of banded symmetric Toeplitz matrices known in close form? *Exp. Math.* **4** (2018), 478–487.
- [22] P. Ferrari, I. Furci, S. Hon, M. Mursaleen, S. Serra-Capizzano. The eigenvalue distribution of special 2-by-2 block matrix-sequences with applications to the case of symmetrized Toeplitz structures. *SIAM J. Matrix Anal. Appl.* **40-3** (2019), 1066–1086.
- [23] C. Garoni, C. Manni, F. Pelosi, S. Serra-Capizzano, H. Speleers. On the spectrum of stiffness matrices arising from isogeometric analysis. *Numer. Math.* **127** (2014), 751–799.
- [24] C. Garoni, C. Manni, S. Serra-Capizzano, D. Sesana, H. Speleers. Spectral analysis and spectral symbol of matrices in isogeometric Galerkin methods. *Math. Comp.* **86-305** (2017), 1343–1373.
- [25] C. Garoni, C. Manni, S. Serra-Capizzano, D. Sesana, H. Speleers. Lusin theorem, GLT sequences and matrix computations: an application to the spectral analysis of PDE discretization matrices. *J. Math. Anal. Appl.* **446-1** (2017), 365–382.
- [26] C. Garoni, S. Serra-Capizzano. *The theory of Generalized Locally Toeplitz sequences: theory and applications - Vol I*. SPRINGER - Springer Monographs in Mathematics, Berlin, (2017).
- [27] C. Garoni, S. Serra-Capizzano. *The theory of Generalized Locally Toeplitz sequences: theory and applications - Vol II*. SPRINGER - Springer Monographs in Mathematics, Berlin, (2018). <http://www.it.uu.se/research/publications/reports/2017-002/>
- [28] C. Garoni, S. Serra-Capizzano. *Generalized Locally Toeplitz Sequences: A Spectral Analysis Tool for Discretized Differential Equations*. SPRINGER - Lecture Notes in Mathematics, CIME Foundation Subseries, **2219** (2018), 161–236.

- [29] C. Garoni, S. Serra-Capizzano, D. Sesana. Spectral Analysis and Spectral Symbol of d -variate Q_p Lagrangian FEM Stiffness Matrices. *SIAM J. Matrix Anal. Appl.* **36-3** (2015), 1100–1128
 - [30] S. Hon, S. Serra-Capizzano. Block Toeplitz preconditioners for all-at-once systems from wave equations. *Electr. Trans. Numer. Anal.* **28** (2023).
 - [31] M. Mazza, C. Manni, A. Ratnani, S. Serra-Capizzano, H. Speleers. Isogeometric analysis for 2D and 3D curl-div problems: spectral symbols and fast iterative solvers. *Comput. Methods Appl. Mech. Engrg.* **344** (2019), 970—997.
 - [32] M. Mazza, A. Ratnani, S. Serra-Capizzano. Spectral analysis and spectral symbol for the 2D curl-curl (stabilized) operator with applications to the related iterative solutions. *Math. Comp.* **88-317** (2019), 1155—1188.
 - [33] M. Mazza, M. Semplice, S. Serra-Capizzano, E. Travaglia. A matrix-theoretic spectral analysis of incompressible Navier-Stokes staggered DG approximations and a related spectrally based preconditioning approach. *Numer. Math.* **149-4** (2021), 933—971.
 - [34] M. Mazza, S. Serra-Capizzano, M. Usman. Symbol-based preconditioning for Riesz distributed-order space-fractional diffusion equations. *Electron. Trans. Numer. Anal.* **54** (2021), 499—513.
 - [35] J. Pestana, A. Wathen. A preconditioned MINRES method for nonsymmetric Toeplitz matrices. *SIAM J. Matrix Anal. Appl.* **36-1** (2015), 273—288.
 - [36] A.J.A. Schiavoni-Piazza, S. Serra-Capizzano. Stefano Distribution results for a special class of matrix sequences: joining approximation theory and asymptotic linear algebra. *Electron. Trans. Numer. Anal.* **59** (2023), 1—8.
 - [37] S. Serra-Capizzano. Generalized Locally Toeplitz sequences: spectral analysis and applications to discretized partial differential equations. *Linear Algebra Appl.* **366** (2003), 371–402.
 - [38] S. Serra-Capizzano. The GLT class as a generalized Fourier Analysis and applications. *Linear Algebra Appl.* **419** (2006), 180–233.
 - [39] P. Tilli. Locally Toeplitz sequences: spectral properties and applications. *Linear Algebra Appl.* **278** (1998), 91–120.
 - [40] E.E. Tyrtyshnikov. A unifying approach to some old and new theorems on distribution and clustering. *Linear Algebra Appl.* **232** (1996) 1–43.
-